# The Trail Inventory of White River NFH Bethel, VT





Prepared By: Federal Highway Administration Central Federal Lands Highway Division November, 2011



# TABLE OF CONTENTS

<u>SECTION</u>		<u>PAGE</u>
I.	TRAIL AND TRAIL FEATURE SUMMARIES	1 - 1
II.	TRAIL LOCATION MAPS	2 - 1
III.	TRAIL IDENTIFICATION LIST	3 - 1
IV.	TRAIL CONDITION RATING SHEETS	4 - 1
V.	TRAIL DEFICIENCY RATING SHEETS	5 - 1
VI.	PHOTOGRAPHIC SHEETS	6 - 1
VII.	GLOSSARY	i

# **White River NFH**

# **Trail and Trail Feature Summaries**

Trail Miles and Percentages by Surface Type and Condition

Trail Surface	Excel	lent	Total	
Туре	Miles	%	Miles	
Native	0.33	100%	0.33	
Total	0.33	100%	0.33	

Trail Miles and Percentages by Trail Classification and Condition

Trail	Excell	ent	Total	
Classification	Miles	%	Miles	
TC2	0.33	100%	0.33	
Total	0.33	100%	0.33	

<sup>\*</sup>Admin Roads are included in the inventory but are not rated for condition.

Report Generated: 11/09/2011 1 - 1


# **Trail Features**

Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T200	Trailhead	1	No	0.00	WHNF_C2_00 15

sf - square feet If - linear feet

cf - cubic feet

# White River NFH Trail Location Map



#### Trails ID

Station Name: White River NFH Org Code: 53290

Trail Number	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T200	Boundary Trail	Native	10049925	0.33	From Hatchery Entrance Road (Rte 010) to Hatchery Boundary

# TRAIL CONDITION



₩ Min. Width

Intersection

# Bench

Station Boundary

Total Length: 0.33 Miles

Trail Name:Boundary TrailRefuge Name:White River NFHTrail Number:T200Region: 5

Water Bar

Raised Trail Structure

Section Number	001
Section Length (miles)	0.33
SAMMS Number	10049925
Rating Date	08/02/2006
Trail Section Information	
Trail Class	TC2
Surface Type	Native
Surface Firmness	Firm
Width (inches)	108
Average Grade (%)	1.5
Average X-slope (%)	3.30
Trail Condition Information	
Deferred Maintenance	
CRV	\$53,721
FCI	0.00
Condition	Excellent

Trail Sign

Drainage Structure

#### **Trail Condition TOTALS**

Deferred Maintenance	CRV	FCI	Condition
	\$53,721	0.00	Excellent

# TRAIL DEFICIENCY

No Deficiencies

# **PHOTOGRAPHIC SHEET**

TRAIL NUMBER: T200 STATION: White River NFH

DATE: 08/02/2006



Photo # WHNF\_C2\_0015 - MP 0.00 - Trailhead

# **Glossary of Terms and Abbreviations**

Acc Info Accessibility information available at trailhead.

**Action** Action required to correct deficiency.

Admin Road Administration Road. Admin Roads signed and

advertised as trails are included in the trail inventory but

a condition assessment is NOT done.

**Alt SAMMS** SAMMS number of Alternate Facility Type.

Alt Type Alternate Facility Type. Trail lies on a feature such as a

levee, dam, administrative road or bridge, which has a

separate SAMMS number.

**AvgGrade** The average grade of the trail (%). The average of five

measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

**AvgSlope** The average cross-slope of the trail (%). The average of

five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

**Check Dam** A small dam constructed across a drainage ditch, swale,

or channel to lower the speed of concentrated flows.

**Condition** Subjective rating of trail based on Facility Condition

Index (FCI):

FCI </= - .01 = Excellent FCI .02 - .05 = Good FCI .06 - .10 = Fair FCI .11 - .20 = Poor FCI > - .20 = Failed

**Crib Wall** Retaining wall.

Current

Replacement Value

(CRV)

The value of an asset determined by the estimated cost of

replacing it.

**Def type** Deficiency Type: Trail Structure, Drainage, Erosion,

Obstacle, Trail Location, Other.

Deferred

**Maintenance (DM)** 

Maintenance that was not performed when scheduled.

i

**Elem ID** Unique identifier for each trail section: Org Code-Trail

Number-Section Number.

**Facility** 

**Condition Index (FCI)** 

DM/CRV

**Grouped Features** Grouped features include non-unique signs (mileposts,

interpretive signs, species identification, etc.), water bars, check dams, steps, drain and drainage dips. For any given grouped feature, a GPS point and photo are taken for the first occurrence only and the total number of features in the group are entered into the "quantity"

field of the data dictionary.

**Info Type** Type of accessibility information available at trailhead:

brochure, sign or other.

**Item** Item on which the "Action" (see above) will be

performed.

Manage\_Use Managed use of the trail: HIKE, BIKE, NSPC (non-

specified), PACK, POR (portage), SNOWSHOE, XSKI

(cross-country ski), OTHER.

**MP** Distance of a trail feature or deficiency from the

Trailhead.

**Puncheon** Log footbridge used in area of poor drainage.

Raised Trail Structure Boardwalk, Turnpike, Puncheon.

**T Class** Trail Class: I-V (see Appendix? for trail class

descriptions).

**Tr Desig** Trail Designation: Standard (Std), National Historic Trail

(NHT), National Recreation Trail (NRT), National

Scenic Trail (NST).

**Turnpike** Trail tread elevated with dirt, rock or other aggregate

from parallel side ditches and held in place by logs.